

FORM PTO-1449

INFORMATION DISCLOSURE STATEMENT

RECEIVED

OCT 05 2001

TECH CENTER 1600/2900

ATTORNEY DOCKET NO.
PU3491USWSERIAL NO.
097700,409APPLICANT
LENHARD et alFILING DATE
December 2000GROUP
2878

U.S. PATENT DOCUMENTS

Examiner Initials	Patent Number	Issue Date	Name	Class	Subclass	Filing Date If Appropriate
✓	1. 4,310,003	01/12/1982	Schlager	128	736	
	2. 4,379,461	04/12/1983	Nilsson et al.	128	736	
	3. 4,416,552	11/22/1983	Hessemer, Jr. et al.	374	117	
	4. 4,428,382	01/31/1984	Walsall et al.	128	736	
	5. 4,445,516	05/01/1984	Wollnik et al.	128	736	
	6. 4,501,503	02/26/1985	Buirley et al.	374	162	
	7. 4,602,642	07/29/1986	O'Hara et al.	128	664	
	8. 4,627,442	12/09/1986	Land	128	736	
	9. 4,685,463	08/11/1987	Williams	128	632	
	10. 4,797,840	01/10/1989	Fraden	364	557	
	11. 4,809,707	03/07/1989	Kraft et al.	128	736	
	12. 4,819,657	04/11/1989	Kraft et al.	128	736	
	13. 4,849,885	07/18/1989	Stillwagon et al.	364	413.1	
	14. 4,859,360	08/22/1989	Suzuki et al.	252	299.7	
	15. 4,900,162	02/13/1990	Beckman et al.	374	132	
	16. 4,920,973	05/01/1990	Tanaka et al.	128	736	
	17. 4,947,850	08/14/1990	Vanderkooi et al.	128	654	
	18. 4,955,728	09/11/1990	Hebrank	374	124	
	19. 4,995,398	02/26/1991	Turnidge	128	668	
	20. 4,998,826	03/12/1991	Wood et al.	374	129	
	21. 5,017,019	05/21/1991	Pompei	374	133	
	22. 5,073,503	12/17/1991	Mee	436	147	
	23. 5,077,476	12/31/1991	Rosenthal	250	341	
	24. 5,079,698	01/07/1992	Grenier et al.	364	413.13	
	25. 5,086,229	02/04/1992	Rosenthal et al.	250	341	
	26. 5,115,815	05/26/1992	Hansen	128	664	
	27. 5,200,023	04/06/1993	Gifford et al.	156	626	
	28. 5,215,095	06/01/1993	Macvicar et al.	128	665	
	29. 5,285,396	02/08/1994	Aoyama	364	557	
	30. 5,301,681	04/12/1994	DeBan et al.	128	736	
	31. 5,340,745	08/23/1994	Wojciechowski et al.	436	34	
	32. 5,356,217	10/18/1994	Sheffield	374	45	
	33. 5,370,121	12/06/1994	Reichenberger et al.	128	660.02	
	34. 5,375,603	12/27/1994	Feiler	128	664	
	35. 5,377,126	12/27/1994	Flik et al.	364	557	
	36. 5,386,831	02/07/1995	Gluck	128	664	
	37. 5,420,042	05/30/1995	Schäfer et al.	436	517	
	38. 5,458,418	10/17/1995	Jones et al.	374	45	
	39. 5,465,718	11/14/1995	Hochman et al.	128	653.1	
	40. 5,539,673	07/23/1996	Charm et al.	364	557	
	41. 5,551,780	09/03/1996	Wintrich et al.	374	45	
	42. 5,578,827	11/26/1996	Wolf et al.	250	339.04	
	43. 5,595,444	01/21/1997	Tong et al.	374	45	
	44. 5,653,537	08/05/1997	Ignatowicz et al.	374	131	
✓	45. 5,653,539	08/05/1997	Rosengaus	374	159	

Continue on page 2

EXAMINER

DATE CONSIDERED

EXAMINER: Initial citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

FORM PTO-1449

INFORMATION DISCLOSURE STATEMENT
OCT 0 5 2001ATTORNEY Docket NO.
PU3491USWSERIAL NO.
09/700,409APPLICANT
LENHARD et al.FILING DATE
December 11, 2000GROUP
2878

TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS (Continued)

Examiner Initials	Patent Number	Issue Date	Name	Class	Subclass	Filing Date If Appropriate
<i>JD</i>	46. 5,666,962	09/16/1997	Lamey	128	736	
	47. 5,692,510	12/02/1997	Gordon et al.	128	654	
	48. 5,696,703	12/09/1997	Barber	364	557	
	49. 5,699,797	12/23/1997	Godik	128	653.1	
	50. 5,740,809	04/21/1998	Baratta	128	664	
	51. 5,771,261	06/23/1998	Anbar	374	45	
	52. 5,792,667	08/11/1998	Florin et al.	436	147	
	53. 5,795,305	08/18/1998	Cho et al.	600	549	

FOREIGN PATENT DOCUMENTS

Document Number	Publication Date	Country	Class	Subclass	Translation Yes No
<i>JD</i> 54. WO 99/21957	05/06/1999	WIPO	C12M	1/34	X

Continue on page

OTHER DOCUMENTS (Including Author, Title, Journal-Date, Page Number, Etc.)

<i>JD</i> 55.	Ahmad-Junan et al., "Synthetic studies on electron transport inhibitors related to natural products", <i>Mitochondrial Electron Transport Inhibitors</i> 22:237-241 (1994).
56.	Astrup et al., "Enhanced thermogenic responsiveness during chronic ephedrine treatment in man", <i>The American Journal of Clinical Nutrition</i> 42:83-94 (July 1985).
57.	Blaak et al., "Adrenoceptor subtypes mediating catecholamine-induced thermogenesis in man", <i>International Journal of Obesity</i> 17:(Suppl. 3) S78-S81 (1993).
58.	Böttcher et al., "A new microcatheter enables microcalorimetric assessment of thermogenesis after stimulation in cell cultures", <i>J. Biochem. Biophys. Methods</i> 32:191-194 (1996).
59.	Carr et al., "Diagnosis, prediction, and natural course of HIV-1 protease-inhibitor-associated lipodystrophy, hyperlipidaemia, and diabetes mellitus: a cohort study", <i>The Lancet</i> 353:2093-2099 (June 1999).
60.	Champigny et al., "Evidence from in vitro differentiating cells that adrenoceptor agonists can increase uncoupling protein mRNA level in adipocytes of adult humans: an RT-PCR study", <i>Journal of Lipid Research</i> 37:1907-1914 (1996).
61.	Enerbäck et al., "Mice lacking mitochondrial uncoupling protein are cold-sensitive but not obese", <i>Nature</i> 387:90-94 (May 1997).
62.	Ferrara et al., "The Biology of Vascular Endothelial Growth Factor", <i>Endocrine Reviews</i> 18:14-25 (1997).
63.	Fleury et al., "Uncoupling protein-2: a novel gene linked to obesity and hyperinsulinemia", <i>Nature Genetics</i> 15:269-272 (March 1997).
64.	Henke et al., "N-(2-Benzoylphenyl)-L-tyrosine PPAR γ Agonists. I. Discovery of a Novel Series of Potent Antihyperglycemic and Antihyperlipidemic Agents", <i>J. Med. Chem.</i> 41:255020-5036 (1998).
65.	Himms-Hagen, "Minireview: Role of Brown Adipose Tissue Thermogenesis in Control of Thermoregulatory Feeding in Rats: A New Hypothesis That Links Thermostatic and Glucostatic Hypotheses for Control of Food Intake (43847A)", <i>Proc. Soc. Exp. Bio. Med.</i> 208:159-169 (1995).
66.	Hoveyda, "Catalyst discovery through combinatorial chemistry", <i>Chemistry & Biology</i> 5:R187-R191 (August 1998).
67.	Kenakin et al., " β -Adrenoceptor Assays", <i>Current Protocols in Pharmacology</i> 4.6.1-4.6-36 (1998).
68.	Koenigbauer, "Pharmaceutical Applications of Microcalorimetry", <i>Pharmaceutical Research</i> 11:6777-783 (1994).
<i>JD</i> 69.	Lafontan et al., "Fat cell adrenergic receptors and the control of white and brown fat cell function", <i>Journal of Lipid Research</i> 34:1057-1091 (1993).

Continue on page 3

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

FORM PTO-1449
INFORMATION DISCLOSURE STATEMENT

OCT 05 2001

TECH CENTER 1600/2900

ATTORNEY Docket NO.
 PU3491USW

SERIAL NO.
 09/700,409

APPLICANT
 LENHARD et al.

FILING DATE
 December 11, 2000

GROUP
 2878

OTHER DOCUMENTS (Including Author, Title, Journal-Date, Page Number, Etc.) (Continued)

- | | |
|-----|---|
| 70. | Lehmann et al., "An Antidiabetic Thiazolidinedione Is a High Affinity Legand for Peroxisome Proliferator-activated Receptor γ (PPAR γ)", <i>The Journal of Biological Chemistry</i> 270:22 12953-12956 (June 1995). |
| 71. | Lenhard et al., "Effects of Troglitazone and Metformin on Glucose and Lipid Metabolism", <i>Biochemical Pharmacology</i> 54:801-808 (1997). |
| 72. | Moates et al., "Infrared Thermographic Screening of Combinatorial Libraries of Heterogeneous Catalysts", <i>Ind. Eng. Chem. Res.</i> 35:12 4801-4803 (1996). |
| 73. | Nedergaard et al., "[³ H]GDP binding and thermogenin amount in brown adipose tissue mitochondria from cold-exposed rats", <i>Am. J. Physiol.</i> 248(Cell Physiol. 17):C365-C371 (1985). |
| 74. | Paulik et al., "Thiazolidinediones inhibit alkaline phosphatase activity while increasing expression of uncoupling protein, deiodinase, and increasing mitochondrial mass in C3H10T1/2 cells", <i>Cell Tissue Res.</i> 290:79-87 (1997). |
| 75. | Reers et al., "J-Aggregate Formation of a Carbocyanine as a Quantitative Fluorescent Indicator of Membrane Potential", <i>Biochemistry</i> 30:18 4480-4486 (1991). |
| 76. | Rehnmark et al., "Brown Adipocytes Differentiated <i>in Vitro</i> Can Express the Gene for the Uncoupling Protein Thermogenin: Effects of Hypothyroidism and Norepinephrine", <i>Experimental Cell Research</i> 182:75-83 (1989). |
| 77. | Rehnmark et al., " α - and β - Andrenergic Induction of the Expression of the Uncoupling Protein Thermogenin in Brown Adipocytes Differentiated in Culture", <i>The Journal of Biological Chemistry</i> 265:27 16464-16471 (September 1990). |
| 78. | Ricquier et al., "Molecular studies of the uncoupling protein", <i>FASEB J.</i> 5:2237-2242 (1991). |
| 79. | Scarpace, "Thermoregulation with Age: Role of Beta-Adrenergic Signal Transduction", <i>Annals New York Academy of Sciences</i> 813:111-116 (1997). |
| 80. | Shimabukuro et al., "Induction of Uncoupling Protein-2 mRNA by Troglitazone in the Pancreatic Islets of Zucker Diabetic Fatty Rats", <i>Biochemical and Biophysical Research Communications</i> 237:359-361 (1997). |
| 81. | Silva, "Full Expression of Uncoupling Protein Gene Requires the Concurrence of Norepinephrine and Triiodothyronine", <i>Molecular Endocrinology</i> 2:8 706-713 (1988). |
| 82. | Stock, "Sibutramine: a review of the pharmacology of a novel anti-obesity agent", <i>International Journal of Obesity</i> 21:Suppl. 1 S25-S29 (1997). |
| 83. | Surwit et al., "Differential Effects of Fat and Sucrose on the Development of Obesity and Diabetes in C57BL/6J and A/J Mice", <i>Metabolism</i> 44:5 645-651 (May 1995). |
| 84. | Tai et al., "Activation of the Nuclear Receptor Peroxisome Proliferator-activated Receptor γ Promotes Brown Adipocyte Differentiation", <i>The Journal of Biological Chemistry</i> 271:47 29909-29914 (November 1996). |
| 85. | Terada, "The Interaction of Highly Active Uncouplers With Mitochondria", <i>Biochimica et Biophysica Acta</i> 639:225-242 (1981). |

Continue on page ____

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.